



NEW TRIA round

LED indoor recessed ceiling light, brushed aluminium, 1800-3000K 7.2W

The round, 240V version of our popular NEW TRIA LED recessed fitting series is available with white, black or brushed aluminium housings. The swivelling range of this recessed spotlight ensures that you can individually focus the light beam. The LEDs can be adjusted to the required light colour using the innovative Dim to Warm technology. Specifically designed for a hole diameter of 68 mm, the NEW TRIA 68 recessed fitting is supplied ready for direct connection to the 230V alternating current. The scope of delivery of the product includes clip and leaf springs for convenient adaptation to the respective fitting situation.

TECHNICAL DATA

| | |
|-------------------------------------|-----------------------------|
| Item no.: | 1001990 |
| Primary nominal voltage | 220-240V ~50/60Hz mA/V |
| Secondary power / secondary voltage | 350mA |
| Height | 4 cm |
| Diameter | 8.2 cm |
| Installation diameter | 7 cm |
| Installation depth | 4 cm |
| Net weight | 0.229 kg |
| Gross weight | 0.28 kg |
| IP Code | IP 20 |
| Safety class | II |
| Assembly | Recessed |
| Assembly details | Ceiling |
| Dimmable | Yes |
| Dimming technology | Leading edge, trailing edge |
| Wattage | 7.2 W |
| Lumen | 430 lm |
| Colour temperature | 1800-3000 Kelvin |
| Beam angle | 38 ° |
| Color | aluminium |
| CRI | 95 |
| LXXBXX data | L70B50 |

Light Source

| | |
|--------|-----------------------------------------------------------------------------------|
| 916436 |  |
|--------|-----------------------------------------------------------------------------------|

| | |
|-----------------------------|--------|
| Minimum ambient temperature | -20 °C |
| Maximum ambient temperature | 40 °C |
| BIG WHITE Page | 361 |